


**Standard Features**

- + Class F Insulation
- + 1.0 Service Factor on Inverter Power
- + Continuous duty at 40 deg. C ambient
- + UL recognized and CSA certified
- + Emerson Motors provides 2-5 year warranty per notes at bottom
- + No feedback device available



HP	RPM (max CH)	Volts	Enc	Frame	CT Speed Range	VT Speed Range	Notes	Catalog Number	List Price	Weight (Lbs)	Lead time (Days)	Full Load Amps	Nominal Efficiency (%)	"C" Dim (in)	Dimension Sheet	Connection Diagram	Performance Data
1/4	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U14S2AC	\$268	20	5	1.3-1.4/0.7	66	10.8	07-1970	B109144	U14S2AC
1/4	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U14S2GC	\$268	20	30	0.4	74	10.8	07-1970	499495	U14S2GC
1/4	1200	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U14S3AC	\$377	22	5	1.1-1.2/0.6	72	10.8	07-1970	B109144	U14S3AC
1/3	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U13S2AC	\$300	20	5	1.5-1.5/0.8	70	10.8	07-1970	B109144	U13S2AC
1/3	1800 (3600)	208-230/460	TEFC-PE	56C	5:1	10:1	Inverter, Unimount	UN13V2BC	\$373	19	25	1.4-1.4/0.71	70	8.81			UN13V2BC
1/3	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U13S2GC	\$300	22	30	0.5	74	10.8	07-1970	499495	U13S2GC
1/3	1200	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U13S3AC	\$399	23	5	1.3-1.3/0.6	75.5	10.8	07-1970	B109144	U13S3AC
1/2	3600	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U12S1AC	\$256	23	5	1.7-1.6/0.8	70	10.8	07-1970	B109144	U12S1AC
1/2	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U12S2AC	\$334	24	5	1.8-1.8/0.9	74	10.8	07-1970	B109144	U12S2AC
1/2	1800 (3600)	208-230/460	TEFC-PE	56C	5:1	10:1	Inverter, Unimount	UN12V2BC	\$433	21	25	2.0-2.1/1.1	84	8.81			UN12V2BC
1/2	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U12S2GC	\$336	24	30	0.7	74	10.8	07-1970	499495	U12S2GC
1/2	1200	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U12S3AC	\$437	25	5	2.1-2.0/1.0	0	11.5	07-1970	B109144	U12S3AC
1/2	1200 (2400)	208-230/460	TEFC-PE	56C	5:1	10:1	Inverter, Unimount	UN12V3BC	\$542	26	25	2.3-2.4/1.2	72	10.31			UN12V3BC
3/4	3600	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U34S1AC	\$305	24	5	2.5-2.2/1.1	74	10.8	07-1970	B109144	U34S1AC
3/4	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U34S2AC	\$368	25	5	2.7-2.7/1.4	77	10.8	07-1970	B109144	U34S2AC
3/4	1800 (3600)	208-230/460	TEFC-PE	56C	5:1	10:1	Inverter, Unimount	UN34V2BC	\$509	26	25	2.8-2.7/1.3	0	8.81			UN34V2BC
3/4	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U34S2GC	\$371	25	30	1.1	75.5	10.8	07-1970	499495	U34S2GC
3/4	1200	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U34S3AC	\$451	25	5	3.1-3.2/1.6	0	10.8	07-1970	B109144	U34S3AC
3/4	1200	208-230/460	TEFC-EE	143TC	2:1	6:1	C-Face, EE, Unimount	U34S3DC	\$385	35	5	3.1-3.1/1.6	72	12.1			U34S3DC
3/4	1200 (2400)	208-230/460	TEFC-PE	56C	5:1	10:1	Inverter, Unimount	UN34V3BC	\$639	30	25	3.1-3.0/1.5	0	11.31			UN34V3BC
1	3600	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U1S1AC	\$344	25	5	3.2-2.9/1.5	74	10.8	07-1970	B109144	U1S1AC
1	3600	208-230/460	TEFC-PE	56HZ	4:1	10:1	PE, Unimount	T1P1DZH	\$298	28	5	3.4-3.2/1.6	77	12.7			T1P1DZH
1	3600	208-220/440	TEFC-PE	56	4:1	10:1	PE, Unimount	T1P1M	\$304	23	5	3.4-3.2/1.6	74	10.5			T1P1M
1	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U1S2AFC	\$380	28	5	3.4-3.4/1.7	80	12.1	07-1970	B109144	U1S2AFC
1	1800	208-230/460	TEFC-EE	143TC	2:1	6:1	C-Face, EE, Unimount	U1E2DC	\$388	35	5	3.1-3.1/5	82.5	12.8	07-1973	B109144	U1E2DC
1	1800	208-230/460	TEFC-PE	143T	4:1	10:1	PE, Unimount	U1P2B	\$542	40	5	3/1.5	86.5	12.8			U1P2D
1	1800 (3600)	208-230/460	TEFC-PE	56C	5:1	10:1	Inverter, Unimount	UN1V2BFC	\$559	28	25	3.5-3.4/1.7	85.5	11.81			UN1V2BFC
1	1800 (3600)	208-230/460	TEFC-PE	145TC	5:1	10:1	Inverter, Unimount	UN1V2BC	\$594	28	25	3.5-3.4/1.7	86.6	11.88			UN1V2BC
1	1800 (3600)	230/460	TEFC-PHHD	143TC	5:1	10:1	Inverter Hostile Duty	H1V2BC	\$641	65	30	2.9/1.5	85.5	12.63	07-2005	B109144	H1V2BC
1	1800	230/460	TEFC-PECD	143T	4:1	10:1	PE, Corro-Duty	C1P2B	\$948	55	5	3/1.5	86.5	12.6	07-2104	B109144	C1P2D
1	1800 (3600)	230/460	TEFC-PHHD	145TC	10:1	20:1	Inverter Hostile Duty	H1T2BC	\$883	65	5	3.5/1.8	84		07-1991-01	B109144	H1T2BC
1	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U1S2GFC	\$380	28	30	1.4	80	12.1	07-1970	499495	U1S2GFC
1	1800	208-230/460	TEFC-EE	143TC	2:1	6:1	C-Face, EE, Unimount	U1E2GC	\$388	35	30	1.2	82.5	12.1	07-1973	499495	U1E2GC
1	1800	208-230/460	TEFC-EESD	143T	5:1	10:1	EE, Severe-Duty	ELT1E2G	\$343	62	10	1.2	82.5	13.03			ELT1E2G
1	1800	208-230/460	TEFC-EESD	143TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT1E2GC	\$410	68	10	1.2	82.5	13.7			ELT1E2GC
1	1800	208-230/460	TEFC-PE	143T	4:1	10:1	PE, Unimount	U1P2G	\$542	40	30	1.1	86.5	12.8	07/2003/B	499495	U1P2G
1	1800	208-230/460	TEFC-PECD	143T	4:1	10:1	PE, Corro-Duty	C1P2G	\$948	55	30	1.1	85.5	12.6	07-2104	499495	C1P2G
1	1200	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U1S3DFC	\$483	30	5	3.8-4/2	77	12.1	07-1970	B109144	U1S3DFC
1	1200	208-230/460	TEFC-EE	145TC	2:1	6:1	C-Face, EE, Unimount	U1E3DC	\$565	40	5	3.7-3.5/1.8	80	13.1	07-1973	B109144	U1E3DC
1	1200	230/460	TEFC-PE	145T	4:1	10:1	PE, Unimount	U1P3B	\$654	40	5	3.5/1.8	82.5	12.8	07-2003	B109144	U1P3B
1	1200 (2400)	230/460	TEFC-PE	145TC	5:1	10:1	Inverter, Unimount	U1V3BC	\$723	40	25	3.7/1.9	81.5	13.13	07-1973	B109144	U1V3BC
1	1200 (2400)	230/460	TEFC-PHHD	145TC	5:1	10:1	Inverter Hostile Duty	H1V3BC	\$804	70	30	3.7/1.9	81.5	12.63	07-2005	A109145	H1V3BC
1	1200	230/460	TEFC-PECD	145T	4:1	10:1	PE, Corro-Duty	C1P3B	\$1,049	75	5	3.5/1.8	82.5	13.9	07-2280	B109144	C1P3B
1	1200 (2400)	230/460	TEFC-PHHD	182TC	10:1	20:1	Inverter Hostile Duty	H1T3BC	\$1,014	70	5	4.3/2.1	84		07-2280	B109144	H1T3BC
1	1200	208-230/460	TEFC-EE	145TC	2:1	6:1	C-Face, EE, Unimount	U1E3GC	\$565	40	30	1.5	80	13.1	07-2286	499495	U1E3GC
1	1200	208-230/460	TEFC-EESD	145T	5:1	10:1	EE, Severe-Duty	ELT1E3G	\$466	63	10	1.3	80	14.2			ELT1E3G
1	1200	208-230/460	TEFC-EESD	145TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT1E3GC	\$532	69	10	1.3	80	14.88			ELT1E3GC
1	1200	208-230/460	TEFC-PE	145T	4:1	10:1	PE, Unimount	U1P3G	\$654	40	30	1.4	82.5	12.8	07-2003	499495	U1P3G
1	1200	208-230/460	TEFC-PECD	145T	4:1	10:1	PE, Corro-Duty	C1P3G	\$1,049	75	30	1.4	82.5	13.9	07-2280	499495	C1P3G
1	900	230/460	TEFC-PECD	182T	4:1	10:1	PE, Corro-Duty	C1P4B	\$1,391	75	5	4.5/2.2	74	16.4	07-2597	B109144	C1P4B
1.5	3600	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U32S1AFC	\$415	30	5	4.6-4/2	78.5	12.1	07-1970	B109144	U32S1AFC
1.5	3600	208-230/460	TEFC-EE	143TC	2:1	6:1	C-Face, EE, Unimount	U32E1DC	\$469	35	5	4.3-3.9/1.9	82.5	12.1	07-1973	B109144	U32E1DC
1.5	3600 (7200)	230/460	TEFC-PE	143TC	5:1	10:1	Inverter, Unimount	U32V1BC	\$595	35	25	3.9/1.9	84	13.13	07-1973	B109144	U32V1BC
1.5	3600	230/460	TEFC-PE	143T	4:1	10:1	PE, Unimount	U32P1B	\$637	35	5	3.9/1.9	84	12.8	07/2003/B	B109144	U32P1B
1.5	3600 (7200)	230/460	TEFC-PHHD	143TC	5:1	10:1	Inverter Hostile Duty	H32V1BC	\$660	65	30	3.9/1.9	84	12.63	07-2005	B109144	H32V1BC
1.5	3600	230/460	TEFC-PECD	143T	4:1	10:1	PE, Corro-Duty	C32P1B	\$863	55	5	3.9/1.9	84	12.6	07-2104	B109144	C32P1B
1.5	3600	230/460	TEFC-PECD	143TC	4:1	10:1	C-Face, PE, Corro-Duty	C32P1BC	\$992	55	5	3.9/1.9	84	13.5	07-2596	B109144	C32P1BC
1.5	3600 (7200)	230/460	TEFC-PHHD	145TC	10:1	20:1	Inverter Hostile Duty	H32T1BC	\$942	70	5	3.8/1.9	86.5		07-1991-01	B109144	H32T1BC
1.5	3600	208-230/460	TEFC-EESD	143T	5:1	10:1	EE, Severe-Duty	ELT32E1G	\$395	62	10	1.6	82.5	13.03			ELT32E1G
1.5	3600	208-230/460	TEFC-EESD	143TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT32E1GC	\$462	68	10	1.6	82.5	13.7			ELT32E1GC
1.5	3600	208-230/460	TEFC-EE	143TC	2:1	6:1	C-Face, EE, Unimount	U3									

MT Category

HP	RPM (max CH)	Volts	Enc	Frame	CT Speed Range	VT Speed Range	Notes	Catalog Number	List Price	Weight (Lbs)	Lead time (Days)	Full Load Amps	Nominal Efficiency	"C" Dim (in)	Dimension Sheet	Connection Diagram	Performance Data
2	3600	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U2S1AFC	\$483	29	5	5.9-5.3/2.6	80.0	12.1	07-1970	B109144	U2S1AFC
2	3600	208-230/460	TEFC-EE	145TC	2:1	6:1	C-Face, EE, Unimount	U2E1DC	\$540	35	5	5.6-5.2/2.5	84	13.1	07-1973	B109144	U2E1DC
2	3600	230/460	TEFC-PE	145T	4:1	10:1	PE, Unimount	U2P1BC	\$698	40	5	4.9/2.5	86.5	12.8	07-2003	B109144	U2P1BC
2	3600	230/460	TEFC-PECD	145T	4:1	10:1	PE, Corro-Duty	C2P1B	\$971	70	5	4.9/2.4	86.5	12.6	07-2104	B109144	C2P1B
2	3600	230/460	TEFC-PEHD	145TC	4:1	10:1	C-Face, PE, Corro Duty	C2P1BC	\$1,117	70	5	4.9/2.4	86.5	13.5	07-2596	B109144	C2P1BC
2	3600 (7200)	230/460	TEFC-PE	145TC	5:1	10:1	Inverter, Unimount	U2V1BC	\$691	40	25	4.9/2.4	86.5	13.13	07-1973	B109144	U2V1BC
2	3600 (7200)	230/460	TEFC-PEHD	145TC	5:1	10:1	Inverter Hostile Duty	H2V1BC	\$770	70	30	4.9/2.4	86.5	12.63	07-2005	B109144	H2V1BC
2	3600 (7200)	230/460	TEFC-PEHD	182TC	10:1	20:1	Inverter Hostile Duty	H2T1BC	\$1,060	100	5	5.6/2.8	86.5			B109144	H2T1BC
2	3600	575	TEFC-EE	145TC	2:1	6:1	C-Face, EE, Unimount	U2E1GC	\$540	35	30	2	84	13.1	07-1973	499495	U2E1GC
2	3600	575	TEFC-EESD	145T	5:1	10:1	EE, Severe-Duty	ELT2E1G	\$346	68	10	2	84	14.2			
2	3600	575	TEFC-EESD	145TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT2E1GC	\$413	74	10	2	84	14.88			
2	1800	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U2S2AFC	\$438	30	5	6.3-6.3/3.2	82.5	12.1	07-1970	B109144	U2S2AFC
2	1800	208-230/460	TEFC-EE	145TC	2:1	6:1	C-Face, EE, Unimount	U2E2DC	\$473	35	5	5.9-5.9/3	84	13.1	07-1973	B109144	U2E2DC
2	1800	230/460	TEFC-PE	145T	4:1	10:1	PE, Unimount	U2P2BC	\$585	45	5	5.7/2.8	86.5	12.8	07-2003	B109144	U2P2BC
2	1800 (3600)	230/460	TEFC-PE	145TC	5:1	10:1	Inverter, Unimount	U2V2BC	\$691	45	25	5.5/2.8	85.5	13.13	07-1973	B109144	U2V2BC
2	1800 (3600)	230/460	TEFC-PEHD	145TC	5:1	10:1	Inverter Hostile Duty	H2V2BC	\$770	70	30	5.5/2.8	86.5	12.63	07-2005	B109144	H2V2BC
2	1800	230/460	TEFC-PECD	145T	4:1	10:1	PE, Corro-Duty	C2P2B	\$1,009	70	5	5.7/2.8	86.5	13.9	07-2280	B109144	C2P2B
2	1800	230/460	TEFC-PECD	145TC	4:1	10:1	C-Face, PE, Corro Duty	C2P2BC	\$1,160	70	5	5.7/2.8	86.5	13.5	07-2596	B109144	C2P2BC
2	1800 (3600)	230/460	TEFC-PEHD	182TC	10:1	20:1	Inverter Hostile Duty	H2T2BC	\$1,045	100	5	6.0/3.0	89.5			B109144	H2T2BC
2	1800	575	TEFC-EESD	145T	5:1	10:1	EE, Severe-Duty	ELT2E2G	\$417	67	10	2.2	84	14.2			
2	1800	575	TEFC-EESD	145TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT2E2GC	\$483	73	10	2.2	84	14.88			
2	1800	575	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U2S2GFC	\$438	30	5	2.5	84	12.5			
2	1800	575	TEFC-EE	145TC	2:1	6:1	C-Face, EE, Unimount	U2E2GC	\$473	35	30	2.4	84	13.1	07-2286	499495	U2E2GC
2	1800	575	TEFC-PE	145T	4:1	10:1	PE, Unimount	U2P2G	\$585	45	30	2.3	86.5	12.8	07-2003	499495	U2P2G
2	1800	575	TEFC-PECD	145T	4:1	10:1	PE, Corro-Duty	C2P2G	\$1,009	70	30	2.2	86.5	13.9	07-2280	499495	C2P2G
2	1200	208-230/460	TEFC-EE	184TC	2:1	6:1	C-Face, EE, Unimount	U2E3DC	\$800	65	5	7.6-8.3/4	86.5	16.9	07-2028	B109144	U2E3DC
2	1200	230/460	TEFC-PE	184T	4:1	10:1	PE, Unimount	U2P3BC	\$772	70	5	6.2/3.1	88.5	16.1			
2	1200 (2400)	230/460	TEFC-PE	184TC	5:1	10:1	Inverter, Unimount	U2V3BC	\$840	70	25	6/3	87.5	16.88			
2	1200 (2400)	230/460	TEFC-PEHD	184TC	5:1	10:1	Inverter Hostile Duty	H2V3BC	\$933	110	30	6/3	87.5	15.56	1007-1-111	B109144	H2V3BC
2	1200	230/460	TEFC-PECD	184T	4:1	10:1	PE, Corro-Duty	C2P3B	\$1,243	110	5	6.2/3.1	88.5	16.2	07-2241	B109144	C2P3B
2	1200 (2400)	230/460	TEFC-PEHD	213TC	10:1	20:1	Inverter Hostile Duty	H2T3BC	\$1,404	160	5	6.9/3.5	89.5			B109144	H2T3BC
2	1200	575	TEFC-EE	184TC	2:1	6:1	C-Face, EE, Unimount	U2E3GC	\$800	65	30	2.7	86.5	16.9	07/2028	499495	U2E3GC
2	1200	575	TEFC-EESD	184T	5:1	10:1	EE, Severe-Duty	ELT2E3G	\$576	125	10	2.3	86.5	16.71			
2	1200	575	TEFC-EESD	184TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT2E3GC	\$643	131	10	2.3	86.5	17.46			
2	1200	575	TEFC-PE	184T	4:1	10:1	PE, Unimount	U2P3G	\$772	70	30	2.5	88.5	16.1			
2	1200	575	TEFC-PECD	184T	4:1	10:1	PE, Corro-Duty	C2P3G	\$1,243	110	30	2.5	88.5	16.2	07/2107	499495	C2P3G
2	900	230/460	TEFC-PECD	213T	4:1	10:1	PE, Corro-Duty	C2P4B	\$1,672	110	5	7.4/3.7	82.5	19.6	7-2598	B109144	C2P4B
3	3600	208-230/460	TEFC-EE	56C	2:1	6:1	C-Face, EE, Unimount	U3S1AFC	\$555	42	5	8.5-7.5/3.8	85.5	10.8	07-1970	B109144	U3S1AFC
3	3600	208-230/460	TEFC-EE	145TC	2:1	6:1	C-Face, EE, Unimount	T3E1D14C	\$749	47	5	8.7-7.9/4.0	89.3	14.6			
3	3600	208-230/460	TEFC-EE	182TC	2:1	6:1	C-Face, EE, Unimount	U3E1DC	\$756	50	5	8.7-8/4	85.5	16.1	07/2028	B109144	U3E1DC
3	3600	230/460	TEFC-PE	182T	4:1	10:1	PE, Unimount	U3P1B	\$773	60	5	7.8/3.9	88.5	16.1	07-1989	B109144	U3P1B
3	3600 (7200)	230/460	TEFC-PE	182TC	5:1	10:1	Inverter, Unimount	U3V1BC	\$798	60	25	7.8/3.9	87.5	16.13			
3	3600 (7200)	230/460	TEFC-PEHD	182TC	5:1	10:1	Inverter Hostile Duty	H3V1BC	\$888	100	30	7.8/3.9	87.5	14.56	1007-1-111	B109144	H3V1BC
3	3600	230/460	TEFC-PECD	182T	4:1	10:1	PE, Corro-Duty	C3P1B	\$1,216	100	5	7.8/3.9	88.5	15.1	07-2241	B109144	C3P1B
3	3600 (7200)	230/460	TEFC-PEHD	184TC	10:1	20:1	Inverter Hostile Duty	H3T1BC	\$1,271	110	5	7.9/3.9	89.5			B109144	H3T1BC
3	3600	230/460	TEFC-PEHD	182TC	4:1	10:1	C-Face, PE, Corro Duty	C3P1BC	\$1,398	100	5	7.8/3.9	88.5	16.4	07-2597	B109144	C3P1BC
3	3600	575	TEFC-EESD	182T	5:1	10:1	EE, Severe-Duty	ELT3E1G	\$528	107	10	3.1	85.5	15.1			
3	3600	575	TEFC-EESD	182TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT3E1GC	\$595	113	10	3.1	85.5	15.85			
3	3600	575	TEFC-EE	182TC	2:1	6:1	C-Face, EE, Unimount	U3E1GC	\$756	50	30	3.2	85.5	16.1	07/2028	499495	U3E1GC
3	3600	575	TEFC-EE	182TCH	2:1	6:1	C-Face, EE, Unimount	U3E1GK	\$756	50	30	3.2	85.5	16.1	07/2028	499495	U3E1GK
3	3600	575	TEFC-PE	182T	4:1	10:1	PE, Unimount	U3P1G	\$773	60	30	3.1	87.5	16.1	07-1989	499495	U3P1G
3	1800	208-230/460	TEFC-EE	182TC	2:1	6:1	C-Face, EE, Unimount	U3E2DC	\$584	60	5	8.6-8.1/4.1	87.5	16.1	07/2028	B109144	U3E2DC
3	1800	208-230/460	TEFC-EE	182TCH	2:1	6:1	C-Face, EE, Unimount	U3E2DK	\$584	60	5	8.4-8/4	87.5	16.1	07/2028	B109144	U3E2DK
3	1800	230/460	TEFC-PE	182T	4:1	10:1	PE, Unimount	U3P2B	\$646	60	5	7.9/3.9	89.5	16.1	7-1989	B109144	U3P2B
3	1800 (3600)	230/460	TEFC-PE	182TC	5:1	10:1	Inverter, Unimount	U3V2BC	\$785	60	25	8.2/4.1	88.5	16.13			
3	1800 (3600)	230/460	TEFC-PEHD	182TC	5:1	10:1	Inverter Hostile Duty	H3V2BC	\$872	100	30	7.9/4.0	89.5	14.56	1007-1-111	B109144	H3V2BC
3	1800	230/460	TEFC-PECD	182T	4:1	10:1	PE, Corro-Duty	C3P2B	\$1,278	100	5	7.9/4	89.5	15.1	07-2241	B109144	C3P2B
3	1800	230/460	TEFC-PECD	182TC	4:1	10:1	C-Face, PE, Corro Duty	C3P2BC	\$1,470	100	5	7.9/4.0	89.5	16.4	07-2597	B109144	C3P2BC
3	1800 (3600)	230/460	TEFC-PEHD	184TC	10:1	20:1	C-Face?, Inverter Hostile Duty	H3T2BC	\$1,167	110	5	8.5/4.2	90.2			B109144	H3T2BC
3	1800	575	TEFC-EE	182TC	2:1	6:1	C-Face, EE, Unimount	U3E2GC	\$584	60	30	3.2	87.5	16.1	07/2028	499495	U3E2GC
3	1800	575	TEFC-EESD	182T	5:1	10:1	EE, Severe-Duty	ELT3E2G	\$467	118	10	3.1	87.5	15.1			
3	1800	575	TEFC-EESD	182TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT3E2GC	\$542	124	10	3.1	87.5	15.85			
3	1800	575	TEFC-PE	182T	4:1	10:1	PE, Unimount	U3P2G	\$646	60	30	3.2	89.5	16.1	07-1989	499495	U3P2G
3	1800	575	TEFC-PECD	182T	4:1	10:1	PE, Corro-Duty	C3P2G	\$1,278	100	30	3.1	89.5	15.1	07-2241	499495	C3P2G
3	1200	208-230/460	TEFC-EE	213TC	2:1	6:1	C-Face, EE, Unimount	U3E3DC	\$1,021	90	5	9.7-9.1/4.5	87.5	18.6	07/2028	B109144	U3E3DC
3	1200	2															

HP	RPM (max CH)	Volts	Enc	Frame	CT Speed Range	VT Speed Range	Notes	Catalog Number	List Price	Weight (Lbs)	Lead time (Days)	Full Load Amps	Nominal Efficiency	"C" Dim (in)	Dimension Sheet	Connection Diagram	Performance Data	
7.5	3600	208-230/460	TEFC-EE	213TC	2:1	6:1	C-Face, EE, Unimount	U7E1DC	\$1,267	100	5	20.4-18.4/9.2	88.5	18.6	07/2028	B109144	U7E1DC	
7.5	3600	230/460	TEFC-PE	213T	4:1	10:1	PE, Unimount	U7P1B	\$1,289	100	5	17.9/8.9	91.7	18.6	07-1989	B109144	U7P1B	
7.5	3600 (7200)	230/460	TEFC-PE	213T	5:1	10:1	Inverter, Unimount	U7V1B	\$1,281	100	25	17.8/8.9	91	18.63		B109144	U7V1B	
7.5	3600 (7200)	230/460	TEFC-PHDD	213T	5:1	10:1	Inverter Hostile Duty	H7V1B	\$1,424	160	30	17.8/8.9	91	17.56	07-1934	B109144	H7V1B	
7.5	3600	230/460	TEFC-PECD	213T	4:1	10:1	PE, Corro-Duty	C7P1B	\$1,955	160	5	17.9/8.9	91.7	18.1	07-2242	B109144	C7P1B	
7.5	3600	230/460	TEFC-PECD	213TC	4:1	10:1	C-Face, PE, Corro Duty	C7P1BC	\$2,247	160	5	17.9/8.9	91.7	19.6	07-2598	B109144	C7P1BC	
7.5	3600 (7200)	230/460	TEFC-PHDD	215T	10:1	20:1	Inverter Hostile Duty	H7T1B	\$1,853	175	5	17.5/8.8	91.7			B109144	H7T1B	
7.5	3600	575	TEFC-EE	213TC	2:1	6:1	C-Face, EE, Unimount	U7E1GC	\$1,267	100	30	7.4	88.5	18.6	07/2028	499495	U7E1GC	
7.5	3600	575	TEFC-EESD	213T	5:1	10:1	EE, Severe-Duty	ELT7E1G	\$821	173	10	6.9	88.5	18.77			ELT7E1G	
7.5	3600	575	TEFC-EESD	213TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT7E1GC	\$901	190	10	6.9	88.5	19.52			ELT7E1GC	
7.5	3600	575	TEFC-PE	213T	4:1	10:1	PE, Unimount	U7P1G	\$1,289	100	30	7.5	89.5	18.6	07-1989		U7P1G	
7.5	1800	208-230/460	TEFC-EE	213TC	2:1	6:1	C-Face, EE, Unimount	U7E2DC	\$959	120	5	20.8-18.9/9.4	89.5	18.6	07/2028	A109145	U7E2DC	
7.5	1800	230/460	TEFC-PE	213T	4:1	10:1	PE, Unimount	U7P2B	\$1,022	110	5	18.2/9.1	91.7	18.6	07-1989	A109145	U7P2B	
7.5	1800 (3600)	230/460	TEFC-PE	213T	5:1	10:1	Inverter, Unimount	U7V2B	\$1,281	110	25	18.3/9.2	91	18.63			U7V2B	
7.5	1800 (3600)	230/460	TEFC-PHDD	213T	5:1	10:1	Inverter Hostile Duty	H7V2B	\$1,424	160	30	18.4/9.2	91	17.56	7-1934	B109144	H7V2B	
7.5	1800	230/460	TEFC-PECD	213T	4:1	10:1	PE, Corro-Duty	C7P2B	\$1,640	160	5	18.6/9.3	91.7	18.1	07-2242	B109144	C7P2B	
7.5	1800	230/460	TEFC-PECD	213TC	4:1	10:1	C-Face, PE, Corro Duty	C7P2BC	\$1,886	160	5	18.6/9.3	91.7	19.6	07-2598	B109144	C7P2BC	
7.5	1800 (3600)	230/460	TEFC-PHDD	215T	10:1	20:1	Inverter Hostile Duty	H7T2B	\$1,890	175	5	18.4/9.2	92.4			B109144	H7T2B	
7.5	1800	575	TEFC-EE	213TC	2:1	6:1	C-Face, EE, Unimount	U7E2GC	\$959	110	30	7.5	89.5	18.6	07/2028	499495	U7E2GC	
7.5	1800	575	TEFC-EESD	213T	5:1	10:1	EE, Severe-Duty	ELT7E2G	\$743	181	10	7.2	89.5	18.77			ELT7E2G	
7.5	1800	575	TEFC-EESD	213TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT7E2GC	\$823	198	10	7.2	89.5	19.52			ELT7E2GC	
7.5	1800	575	TEFC-PE	213T	4:1	10:1	PE, Unimount	U7P2G	\$1,022	110	30	7.2	91.7	18.6	07-1989	499495	U7P2G	
7.5	1800	575	TEFC-PECD	213T	4:1	10:1	PE, Corro-Duty	C7P2G	\$1,640	160	30	7.5	91.7	18.1	07-2242	499495	C7P2G	
7.5	1200	208-230/460	TEFC-EE	254TC	2:1	6:1	C-Face, EE, Unimount	U7E3DC	\$1,673	200	5	20.8-18.8/9.4	89.5	23.9			137033	U7E3DC
7.5	1200	230/460	TEFC-PE	254T	4:1	10:1	PE, Unimount	U7P3B	\$2,130	200	5	20.2/10.1	91.7	23.9			B109144	U7P3B
7.5	1200 (2400)	230/460	TEFC-PE	254T	5:1	10:1	Inverter, Unimount	U7V3B	\$2,181	200	25	18.6/9.3	91	23.88			A109145	U7V3B
7.5	1200 (2400)	230/460	TEFC-PHDD	254T	5:1	10:1	Inverter Hostile Duty	H7V3B	\$2,423	300	30	18.6/9.3	91	23.75	07-1936	A109145	H7V3B	
7.5	1200	230/460	TEFC-PECD	254T	4:1	10:1	PE, Corro-Duty	C7P3B	\$2,607	300	5	20.2/10.1	91.7	23.3	07/2109	B109144	C7P3B	
7.5	1200 (2400)	230/460	TEFC-PHDD	256T	10:1	20:1	Inverter Hostile Duty	H7T3B	\$3,018	340	5	19.1/9.5	92.4			A109145	H7T3B	
7.5	1200	575	TEFC-EE	254TC	2:1	6:1	C-Face, EE, Unimount	U7E3GC	\$1,673	200	30	7.5	89.5	23.9			11658	U7E3GC
7.5	1200	575	TEFC-EESD	254T	5:1	10:1	EE, Severe-Duty	ELT7E3G	\$1,363	337	10	7.3	89.5	24.1			ELT7E3G	
7.5	1200	575	TEFC-EESD	254TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT7E3GC	\$1,483	354	10	7.3	89.5	24.6				
7.5	1200	575	TEFC-PE	254T	4:1	10:1	PE, Unimount	U7P3G	\$2,130	200	30	8.3	91	23.9	07-1989	499495	U7P3G	
7.5	1200	575	TEFC-PECD	254T	4:1	10:1	PE, Corro-Duty	C7P3G	\$2	300	30	7.9	91.7	23.3	07/2109	499495	C7P3G	
10	3600	208-230/460	TEFC-EE	215TC	2:1	6:1	C-Face, EE, Unimount	U10E1DC	\$1,302	110	5	6.7-23.8/11.9	89.5	20.1	07/2028	B109144	U10E1DC	
10	3600	230/460	TEFC-PE	215T	4:1	10:1	PE, Unimount	U10P1B	\$1,306	125	5	23.5/11.8	91.7	20.1	7-1989		U10P1B	
10	3600 (7200)	230/460	TEFC-PE	215T	5:1	10:1	Inverter, Unimount	U10V1B	\$1,511	120	25	23.5/11.8	91	20.13			B109144	U10V1B
10	3600 (7200)	230/460	TEFC-PHDD	215T	5:1	10:1	Inverter Hostile Duty	H10V1B	\$1,681	175	30	23.2/11.6	91	19.06	07-1934	B109144	H10V1B	
10	3600	230/460	TEFC-PECD	215T	4:1	10:1	PE, Corro-Duty	C10P1B	\$2,080	185	5	23.5/11.8	91.7	19.6	07-2242	B109144	C10P1B	
10	3600	230/460	TEFC-PECD	215TC	4:1	10:1	C-Face, PE, Corro Duty	C10P1BC	\$2,308	185	5	23.5/11.8	91.7	20.8	07-2598	B109144	C10P1BC	
10	3600 (7200)	230/460	TEFC-PHDD	254T	10:1	20:1	Inverter Hostile Duty	H10T1B	\$2,457	300	5	24.0/12.0	91			130274	H10T1B	
10	3600	575	TEFC-EE	215TC	2:1	6:1	C-Face, EE, Unimount	U10E1GC	\$1,302	110	30	9.4	89.5	20.1	07/2028	499495	U10E1GC	
10	3600	575	TEFC-EESD	215T	5:1	10:1	EE, Severe-Duty	ELT10E1G	\$858	196	10	9.1	89.5	20.67				
10	3600	575	TEFC-EESD	215TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT10E1GC	\$938	213	10	9.1	89.5	21.42				
10	3600	575	TEFC-PE	215T	4:1	10:1	PE, Unimount	U10P1G	\$1,306	125	30	9.4	91.7	20.1	07-1989	499495	U10P1G	
10	1800	208-230/460	TEFC-EE	215TC	2:1	6:1	C-Face, EE, Unimount	U10E2DC	\$1,135	120	5	17.5-24.8/12.4	89.5	20.1	07/2028	A109145	U10E2DC	
10	1800	230/460	TEFC-PE	215T	4:1	10:1	PE, Unimount	U10P2B	\$1,154	133	5	23.9/12	91.7	20.1	7-1989	B109144	U10P2B	
10	1800 (3600)	230/460	TEFC-PE	215T	5:1	10:1	Inverter, Unimount	U10V2B	\$1,546	135	25	23.8/11.9	91.7	20.13			B109144	U10V2B
10	1800 (3600)	230/460	TEFC-PHDD	215T	5:1	10:1	Inverter Hostile Duty	H10V2B	\$1,718	175	30	23.8/11.9	91.7	19.06	7-1934	B109144	H10V2B	
10	1800	230/460	TEFC-PECD	215T	4:1	10:1	PE, Corro-Duty	C10P2B	\$1,963	200	5	23.9/12	91.7	19.6	07-2242	B109144	C10P2B	
10	1800	230/460	TEFC-PECD	215TC	4:1	10:1	C-Face, PE, Corro Duty	C10P2BC	\$2,178	200	5	23.9/12.0	91.7	20.8	07-2598	B109144	C10P2BC	
10	1800 (3600)	230/460	TEFC-PHDD	254T	10:1	20:1	Inverter Hostile Duty	H10T2B	\$2,556	300	5	26.1/13	93			159833	H10T2B	
10	1800	575	TEFC-EE	215TC	2:1	6:1	C-Face, EE, Unimount	U10E2GC	\$1,135	120	30	9.9	89.5	20.1	07/2028	499495	U10E2GC	
10	1800	575	TEFC-EESD	215T	5:1	10:1	EE, Severe-Duty	ELT10E2G	\$897	200	10	9.5	89.5	20.67			ELT10E2G	
10	1800	575	TEFC-EESD	215TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT10E2GC	\$977	217	10	9.5	89.5	21.42			ELT10E2GC	
10	1800	575	TEFC-PE	215T	4:1	10:1	PE, Unimount	U10P2G	\$1,154	135	30	9.6	91.7	20.1	07-1989	499495	U10P2G	
10	1800	575	TEFC-PECD	215T	4:1	10:1	PE, Corro-Duty	C10P2G	\$1,963	200	30	9.6	91.7	19.6	07-2242	499495	C10P2G	
10	1200	208-230/460	TEFC-EE	256TC	2:1	6:1	C-Face, EE, Unimount	U10E3DC	\$1,904	230	5	27.5-25/12.5	89.5	25.7			137033	U10E3DC
10	1200	230/460	TEFC-PE	256T	4:1	10:1	PE, Unimount	U10P3B	\$2,433	250	5	25/12.5	91.7	25.6			B109144	U10P3B
10	1200 (2400)	230/460	TEFC-PE	256T	5:1	10:1	Inverter, Unimount	U10V3B	\$2,562	250	25	24.5/12.3	91.7	25.63			A109145	U10V3B
10	1200 (2400)	230/460	TEFC-PHDD	256T	5:1	10:1	Inverter Hostile Duty	H10V3B	\$2,846	340	30	24.5/12.3	91.7	25.5	07-1936	A109145	H10V3B	
10	1200	230/460	TEFC-PECD	256T	4:1	10:1	PE, Corro-Duty	C10P3B	\$3,387	340	5	25/12.5	91.7	25	07-2243	B109144	C10P3B	
10	1200 (2400)	230/460	TEFC-PHDD	284T	10:1	20:1	Inverter Hostile Duty	H10T3B	\$3,685	380	5	26.9/13.5	92.4		07-2255	B109144	H10T3B	

MT Category

HP	RPM (max CH)	Volts	Enc	Frame	CT Speed Range	VT Speed Range	Notes	Catalog Number	List Price	Weight (Lbs)	Lead time (Days)	Full Load Amps	Nominal Efficiency	"C" Dim (in)	Dimension Sheet	Connection Diagram	Performance Data	
20	3600	208-230/460	TEFC-EE	256TC	2:1	6:1	C-Face, EE, Unimount	U20E1DC	\$2,096	230	5	53-47/23.4	90.2	25.7			U20E1DC	
20	3600	230/460	TEFC-PE	256T	4:1	10:1	PE, Unimount	U20P1B	\$2,314	220	5	46/22.9	92.4	25.6	07-1989	B109144	U20P1B	
20	3600 (7200)	230/460	TEFC-PE	256T	5:1	10:1	Inverter, Unimount	U20V1B	\$2,459	210	25	47/23.4	90.2	25.63			A109145	U20V1B
20	3600 (7200)	230/460	TEFC-PHED	256T	5:1	10:1	Inverter Hostile Duty	H20V1B	\$2,733	350	30	46/23	91	25.5	7-1936	A109145	H20V1B	
20	3600	230/460	TEFC-PECD	256T	4:1	10:1	PE, Corro-Duty	C20P1B	\$3,107	320	5	46/23	92.4	25	07-2243	130274	C20P1B	
20	3600 (5400)	230/460	TEFC-PECD	284TS	10:1	20:1	Inverter Hostile Duty	H20T1BS	\$3,582	350	5	47/23.5	91.7			A109145	H20T1BS	
20	3600	575	TEFC-EE	256TC	2:1	6:1	C-Face, EE, Unimount	U20E1GC	\$2,096	230	30	18.7	90.2	25.7			U20E1GC	
20	3600	575	TEFC-EESD	256T	5:1	10:1	EE, Severe-Duty	ELT20E1G	\$1,637	385	10	19.1	90.2	25.83			ELT20E1G	
20	3600	575	TEFC-EESD	256TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT20E1GC	\$1,757	402	10	19.1	90.2	26.33			ELT20E1GC	
20	3600	575	TEFC-PE	256T	4:1	10:1	PE, Unimount	U20P1G	\$2,314	220	30	18.2	91.7	25.6	07-1989	499495	U20P1G	
20	1800	208-230/460	TEFC-EE	256TC	2:1	6:1	C-Face, EE, Unimount	U20E2DC	\$1,861	220	5	55-51/25.7	91	25.7			U20E2DC	
20	1800	230/460	TEFC-PE	256T	4:1	10:1	PE, Unimount	U20P2B	\$2,049	250	5	47/23.7	93	25.6	07-1989	A109145	U20P2B	
20	1800 (3600)	230/460	TEFC-PE	256T	5:1	10:1	Inverter Duty	D20V2B	\$2,305	150	5	48/24	93	22.69	1005-1-109	A109145	D20V2B	
20	1800 (3600)	230/460	TEFC-PE	256T	5:1	10:1	Inverter, Unimount	U20V2B	\$2,470	250	25	47/23.7	93	25.63			A109145	U20V2B
20	1800	230/460	TEFC-PECD	256T	4:1	10:1	PE, Corro-Duty	C20P2B	\$2,684	360	5	48/24	93	25	07-2243	159833	C20P2B	
20	1800 (3600)	230/460	TEFC-PHED	256T	5:1	10:1	Inverter Hostile Duty	H20V2B	\$2,743	360	30	47/23.7	93	25.5	07-1936	A109145	H20V2B	
20	1800 (2700)	230/460	TEFC-PHED	284T	10:1	20:1	Inverter Hostile Duty	H20T2B	\$3,509	390	5	48/23.9	93.6			130274	H20T2B	
20	1800	575	TEFC-EE	256TC	2:1	6:1	C-Face, EE, Unimount	U20E2GC	\$1,861	250	30	19.5	91	25.7			U20E2GC	
20	1800	575	TEFC-EESD	256T	5:1	10:1	EE, Severe-Duty	ELT20E2G	\$1,465	412	10	18.1	91	25.83			ELT20E2G	
20	1800	575	TEFC-EESD	256TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT20E2GC	\$1,585	429	10	18.1	91	26.33			ELT20E2GC	
20	1800	575	TEFC-PE	256T	4:1	10:1	PE, Unimount	U20P2G	\$2,049	250	30	19	93	25.6	07-1989	499495	U20P2G	
20	1800	575	TEFC-PECD	256T	4:1	10:1	PE, Corro-Duty	C20P2G	\$2,684	360	30	19	93	25	07-2243	499495	C20P2G	
20	1200 (2400)	230/460	TEFC-PHED	286T	5:1	10:1	Inverter Hostile Duty	H20V3B	\$4,271	410	5	49/24.5	91.7	27	07-2255	A109145	H20V3B	
20	1200	230/460	TEFC-PECD	286T	4:1	10:1	PE, Corro-Duty	C20P3B	\$5,277	420	5	50/25.1	92.4	27	07-2244	A109145	C20P3B	
20	1200 (2400)	230/460	TEFC-PHED	324T	10:1	20:1	Inverter Hostile Duty	H20T3B	\$5,358	600	5	48/23.8	93			130274	H20T3B	
20	1200	575	TEFC-EESD	286T	5:1	10:1	EE, Severe-Duty	ELT20E3G	\$2,669	450	10	19.3	90.2	28.6			ELT20E3G	
20	1200	575	TEFC-EESD	286TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT20E3GC	\$2,828	462	10	19.3	90.2	28.6			ELT20E3GC	
20	1200	575	TEFC-PECD	286T	4:1	10:1	PE, Corro-Duty	C20P3G	\$5,277	420	30	20	92.4	27	07-2244	499495	C20P3G	
25	3600	208-230/460	TEFC-EE	284TC	2:1	6:1	C-Face, EE, Unimount	U25E1DC	\$2,628	250	5	65-57/29	91	28.3			U25E1DC	
25	3600 (5400)	230/460	TEFC-PHED	284TS	5:1	10:1	Inverter Hostile Duty	H25V1BS	\$3,410	350	30	59/29.3	91.7	24.81			H25V1BS	
25	3600	460	TEFC-PECD	284TS	4:1	10:1	PE, Corro-Duty	C25P1CS	\$3,735	380	5	29.8	92.4	24.8	07/2212	499495	C25P1CS	
25	3600 (5400)	230/460	TEFC-PHED	286TS	10:1	20:1	Inverter Hostile Duty	H25T1BS	\$4,200	400	5	57/28.5	92.4			159833	H25T1BS	
25	3600	575	TEFC-EE	284TC	2:1	6:1	C-Face, EE, Unimount	U25E1GC	\$2,628	250	30	22.9	91	28.3			U25E1GC	
25	3600	575	TEFC-EESD	284TS	5:1	10:1	EE, Severe-Duty	ELT25E1GS	\$2,008	417	10	23.7	91	25.7			ELT25E1GS	
25	3600	575	TEFC-EESD	284TSC	5:1	10:1	C-Face, EE, Severe-Duty	ELT25E1GSC	\$2,168	429	10	23.7	91	25.7			ELT25E1GSC	
25	1800	208-230/460	TEFC-EE	284TC	2:1	6:1	C-Face, EE, Unimount	U25E2DC	\$2,197	290	5	66-59/29.5	92.4	28.3			U25E2DC	
25	1800 (2700)	230/460	TEFC-PE	284T	5:1	10:1	Inverter Duty	D25V2B	\$2,679	300	5	58/29.2	93.6	24.88	07/1998	B109144	D25V2B	
25	1800 (2700)	230/460	TEFC-PHED	284T	5:1	10:1	Inverter Hostile Duty	H25V2B	\$3,337	380	5	59/29.4	93	25.5	07-2255	A109145	H25V2B	
25	1800	460	TEFC-PECD	284T	4:1	10:1	PE, Corro-Duty	C25P2C	\$3,513	400	5	29.6	93.6	25.5	07-2244	499495	C25P2C	
25	1800 (2700)	230/460	TEFC-PHED	286T	10:1	20:1	Inverter Hostile Duty	H25T2B	\$4,121	440	5	58/28.9	94.1			159833	H25T2B	
25	1800	575	TEFC-EE	284TC	2:1	6:1	C-Face, EE, Unimount	U25E2GC	\$2,197	290	30	23.6	92.4	28.3			U25E2GC	
25	1800	575	TEFC-EESD	284T	5:1	10:1	EE, Severe-Duty	ELT25E2G	\$1,758	439	10	22.3	92.4	27.1			ELT25E2G	
25	1800	575	TEFC-EESD	284TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT25E2GC	\$1,918	451	10	22.3	92.4	27.1			ELT25E2GC	
25	1800	575	TEFC-PECD	284T	4:1	10:1	PE, Corro-Duty	C25P2G	\$3,513	400	30	23.5	93.6	25.5	07-2244	499495	C25P2G	
25	1200	460	TEFC-PECD	324T	4:1	10:1	PE, Corro-Duty	C25P3C	\$5,513	515	5	29.4	93	30.8	07-2057-B	499495	C25P3C	
25	1200 (2400)	230/460	TEFC-PHED	324T	5:1	10:1	Inverter Hostile Duty	H25V3B	\$5,186	600	30	59/29.5	92.4	30.56	07-1942	B109144	H25V3B	
25	1200 (2400)	230/460	TEFC-PHED	326T	10:1	20:1	Inverter Hostile Duty	H25T3B	\$6,116	675	5	59/29.3	93.6			159833	H25T3B	
25	1200	575	TEFC-PECD	324T	4:1	10:1	PE, Corro-Duty	C25P3G	\$5,513	515	30	23.5	93	30.8	07-2057-B	499495	C25P3G	
30	3600 (5400)	230/460	TEFC-PHED	286TS	5:1	10:1	Inverter Hostile Duty	H30V1BS	\$4,030	400	30	69/35	91.7	26.31			H30V1BS	
30	3600	460	TEFC-PECD	286TS	4:1	10:1	PE, Corro-Duty	C30P1CS	\$4,554	425	5	34	92.4	26.3	07-2245	499495	C30P1CS	
30	3600 (5400)	230/460	TEFC-PHED	324TS	10:1	20:1	Inverter Hostile Duty	H30T1BS	\$5,070	560	5	68/34	92.4			159833	H30T1BS	
30	3600	575	TEFC-EESD	286TS	5:1	10:1	EE, Severe-Duty	ELT30E1GS	\$2,354	470	10	28.1	91	27.2			ELT30E1GS	
30	3600	575	TEFC-EESD	286TSC	5:1	10:1	C-Face, EE, Severe-Duty	ELT30E1GSC	\$2,514	482	10	28.1	91	27.2			ELT30E1GSC	
30	1800	208-230/460	TEFC-EE	286TC	2:1	6:1	C-Face, EE, Unimount	U30E2DC	\$2,596	325	5	80-72/36	92.4	28.3			U30E2DC	
30	1800 (2700)	230/460	TEFC-PE	286T	5:1	10:1	Inverter Duty	D30V2B	\$3,113	350	5	69/34	94.1	24.88	07/2198	A109145	D30V2B	
30	1800 (2700)	230/460	TEFC-PHED	286T	5:1	10:1	Inverter Hostile Duty	H30V2B	\$3,949	440	30	69/34	93.6	27	07-2255	A109145	H30V2B	
30	1800	460	TEFC-PECD	286T	4:1	10:1	PE, Corro-Duty	C30P2C	\$4,172	455	5	35	94.1	27	07-2244	499495	C30P2C	
30	1800 (2700)	230/460	TEFC-PHED	324T	10:1	20:1	Inverter Hostile Duty	H30T2B	\$4,923	600	5	69/35	94.5			A109145	H30T2B	
30	1800	575	TEFC-EE	286TC	2:1	6:1	C-Face, EE, Unimount	U30E2GC	\$2,596	325	30	28.6	92.4	28.3			U30E2GC	
30	1800	575	TEFC-EESD	286T	5:1	10:1	EE, Severe-Duty	ELT30E2G	\$2,051	477	10	26.4	92.4	28.6			ELT30E2G	
30	1800	575	TEFC-EESD	286TC	5:1	10:1	C-Face, EE, Severe-Duty	ELT30E2GC	\$2,211	489	10	26.4	92.4	28.6			ELT30E2GC	
30	1800	575	TEFC-PECD	286T	4:1	10:1	PE, Corro-Duty	C30P2G	\$4,172	455	30	27.6	94.1	27	07-2244	499495	C30P2G	
30	1200 (2400)	230/460	TEFC-PHED	326T	5:1	10:1	Inverter Hostile Duty	H30V3B	\$5,943	675	30	70/35	93	30.56	07-1942	A109145	H30V3B	
30	1200	460	TEFC-PECD	326T	4:1	10:1	PE, Corro-Duty	C30P3C	\$7,109	595	5	35	93.6	30.8	07-2057-B	499495	C30P3C	
30	1200 (2400)	230/460	TEFC-PHED	364T	10:1	20:1	Inverter Hostile Duty	H30T3B										

MT Category

HP	RPM (max CH)	Volts	Enc	Frame	CT Speed Range	VT Speed Range	Notes	Catalog Number	List Price	Weight (Lbs)	Lead time (Days)	Full Load Amps	Nominal Efficiency	"C" Dim (in)	Dimension Sheet	Connection Diagram	Performance Data
75	3600	460	TEFC-PECD	365TS	4:1	10:1	PE, Corro-Duty	C75P1CS	\$10,641	915	5	84	94.1	30.9	07-2140-B	A109145	C75P1CS
75	3600 (4500)	230/460	TEFC-PEHD	365TS	5:1	10:1	Inverter Hostile Duty	H75V1BS	\$10,357	830	30	167/83	93.6	30.44	07-2137	A109145	H75V1BS
75	3600 (4500)	230/460	TEFC-PEHD	405TS	10:1	20:1	Inverter Hostile Duty	H75T1BS	\$13,415	1200	5	164/82	94.5		B109144	H75T1BS	
75	3600	575	TEFC-PECD	365TS	4:1	10:1	PE, Corro-Duty	C75P1GS	\$10,641	915	30	67	94.1	30.9	07-2140-B	A49945	C75P1GS
1800	1800 (3600)	230/460	TEFC-PECD	365T	5:1	10:1	Inverter Duty	D75V2B	\$6,281	580	5	171/86	95	29.69	07-2196	A109145	D75V2B
75	1800	460	TEFC-PECD	365T	4:1	10:1	PE, Corro-Duty	C75P2C	\$10,038	925	5	84	95.4	33	07-2139-B	A49945	C75P2C
75	1800	460	TEFC-PECD	365TS	4:1	10:1	PE, Corro-Duty	C75P2CS	\$10,038	925	5	84	95.4	30.9	07-2140-B	A49945	C75P2CS
75	1800 (3600)	230/460	TEFC-PEHD	365T	5:1	10:1	Inverter Hostile Duty	H75V2B	\$10,741	910	30	168/84	95	32.56	07-2135	A109145	H75V2B
75	1800 (3600)	230/460	TEFC-PEHD	405T	10:1	20:1	Inverter Hostile Duty	H75T2B	\$12,780	1250	5	174/87	95.4		159833	H75T2B	
75	1800	575	TEFC-PECD	365T	4:1	10:1	PE, Corro-Duty	C75P2G	\$10,038	925	30	68	95.4	33	07-2139-B	A49945	C75P2G
75	1200 (2400)	230/460	TEFC-PEHD	405T	5:1	10:1	Inverter Hostile Duty	H75V3B	\$12,772	1300	30	172/86	95	37.63	07-1948	A109145	H75V3B
75	1200	460	TEFC-PECD	405T	4:1	10:1	PE, Corro-Duty	C75P3C	\$15,380	1300	5	87	95	38	07-2246	A49945	C75P3C
75	1200 (2400)	460	TEFC-PEHD	444T	10:1	20:1	Inverter Hostile Duty	H75T3C	\$18,051	1660	5	98	94.5		A49945	H75T3C	
75	1200	575	TEFC-PECD	405T	4:1	10:1	PE, Corro-Duty	C75P3G	\$15,380	1300	30	70	95	38	7-2246	A49945	C75P3G
100	3600	460	TEFC-PECD	405TS	4:1	10:1	PE, Corro-Duty	C100P1CS	\$13,502	1250	5	109	94.1	35	07-2248	A49945	C100P1CS
100	3600 (4500)	230/460	TEFC-PEHD	405TS	5:1	10:1	Inverter Hostile Duty	H100V1BS	\$13,243	1200	30	218/109	94.5	34.63	07-1911	B109144	H100V1BS
100	3600 (4500)	460	TEFC-PEHD	444TS	10:1	20:1	Inverter Hostile Duty	H100T1CS	\$19,271	1550	5	121	94.5		A49945	H100T1CS	
100	1800	460	TEFC-PECD	405T	4:1	10:1	PE, Corro-Duty	C100P2C	\$12,572	1250	5	113	95.4	38	07-2246	A49945	C100P2C
100	1800	460	TEFC-PECD	405T	4:1	10:1	PE, Belted, Corro-Duty	C100P2CB	\$12,572	1250	5	113	95.4	38	7-2246	A49945	C100P2CB
100	1800	460	TEFC-PECD	405TS	4:1	10:1	PE, Corro-Duty	C100P2CS	\$12,572	1250	5	113	95.4	35	07-2248	A49945	C100P2CS
100	1800 (3600)	230/460	TEFC-PEHD	405T	5:1	10:1	Inverter Hostile Duty	H100V2B	\$12,608	1250	5	226/113	95.4	37.63	07-1948	A109145	H100V2B
100	1800 (3600)	460	TEFC-PEHD	444T	10:1	20:1	Inverter Hostile Duty	H100T2C	\$17,912	1675	5	119	95.4		A49945	H100T2C	
100	1800	575	TEFC-PECD	405T	4:1	10:1	PE, Belted, Corro-Duty	C100P2G	\$12,572	1250	30	90	95.4	35	07-2246	A49945	C100P2G
100	1800	575	TEFC-PECD	405TS	4:1	10:1	PE, Corro-Duty	C100P2GS	\$12,572	1250	30	90	95.4	35	7-2248	A49945	C100P2GS
100	1200	460	TEFC-PECD	444T	4:1	10:1	PE, Corro-Duty	C100P3C	\$0	1660	5	124	95.4	43.9	07-2249	A49945	C100P3C
100	1200	460	TEFC-PECD	444T	4:1	10:1	PE, Belted, Corro-Duty	C100P3CB	\$17,423	1660	5	124	95.4	43.9	07-2249	A49945	C100P3CB
100	1200 (2400)	460	TEFC-PEHD	444T	5:1	10:1	Inverter Hostile Duty	H100V3C	\$17,879	1660	30	124	94.5	43.38	07-1950	A49945	H100V3C
100	1200 (2400)	460	TEFC-PEHD	445T	10:1	20:1	Inverter Hostile Duty	H100T3C	\$20,749	1750	5	125	95.8		A49945	H100T3C	
100	1200	575	TEFC-PECD	444T	4:1	10:1	PE, Corro-Duty	C100P3G	\$17,423	1660	30	99	95.4	43.9	07-2249	A49945	C100P3G
125	3600	460	TEFC-PECD	444TS	4:1	10:1	PE, Corro-Duty	C125P1CS	\$15,868	1625	5	145	95	40.1	07-2250	A49945	C125P1CS
125	3600 (4500)	460	TEFC-PEHD	444TS	5:1	10:1	Inverter Hostile Duty	H125V1CS	\$19,099	1550	30	147	94.5	39.63	07-1950	A49945	H125V1CS
125	3600 (4500)	460	TEFC-PEHD	444TS	10:1	20:1	Inverter Hostile Duty	H125T1CS	\$23,117	1650	5	152	95.4		A49945	H125T1CS	
125	1800	460	TEFC-PECD	444T	4:1	10:1	PE, Belted, Corro-Duty	C125P2CB	\$14,861	1690	5	144	95.4	43.9	07-2249	A49945	C125P2CB
125	1800	460	TEFC-PECD	444T	4:1	10:1	PE, Corro-Duty	C125P2C	\$14,861	1690	5	147	95.4	43.9	07-2249	A49945	C125P2C
125	1800	460	TEFC-PECD	444TS	4:1	10:1	PE, Corro-Duty	C125P2CS	\$14,861	1690	5	147	95.4	40.1	07-2250	A49945	C125P2CS
125	1800 (3600)	460	TEFC-PEHD	444T	5:1	10:1	Inverter Hostile Duty	H125V2C	\$17,740	1675	5	146	95.4	43.38	07-1950	A49945	H125V2C
125	1800 (3600)	460	TEFC-PEHD	445T	10:1	20:1	Inverter Hostile Duty	H125T2C	\$20,875	1780	5	144	95.8		A49945	H125T2C	
125	1200	460	TEFC-PECD	445T	4:1	10:1	PE, Belted, Corro-Duty	C125P3CB	\$19,685	1750	5	155	95.4	45.9	07-2249	A49945	C125P3CB
125	1200	460	TEFC-PECD	445T	4:1	10:1	PE, Corro-Duty	C125P3C	\$19,685	1750	5	155	95.8	45.9	07-2249	A49945	C125P3C
125	1200 (2400)	460	TEFC-PEHD	445T	5:1	10:1	Inverter Hostile Duty	H125V3C	\$20,577	1750	30	153	95.4	45.38	07-1950	A49945	H125V3C
125	1200 (2400)	460	TEFC-PEHD	447T	10:1	20:1	Inverter Hostile Duty	H125T3C	\$24,198	2100	5	153	95.4		A49945	H125T3C	
125	1200	575	TEFC-PECD	445T	4:1	10:1	PE, Corro-Duty	C125P3G	\$19,685	1750	30	124	95.8	45.9	07-2249	A49945	C125P3G
150	3600	460	TEFC-PECD	445TS	4:1	10:1	PE, Corro-Duty	C150P1CS	\$18,968	1775	5	176	95	42.1	07-2250	A49945	C150P1CS
150	3600 (4500)	460	TEFC-PEHD	445TS	5:1	10:1	Inverter Hostile Duty	H150V1CS	\$22,945	1650	30	179	95.4	41.63	07-1950	A49945	H150V1CS
150	3600 (4500)	460	TEFC-PEHD	447TS	10:1	20:1	Inverter Hostile Duty	H150T1CS	\$29,200	2040	5	166	95.8		A49945	H150T1CS	
150	1800	460	TEFC-PECD	445T	4:1	10:1	PE, Belted, Corro-Duty	C150P2CB	\$17,411	1800	5	172	95.8	45.9	07-2249	A49945	C150P2CB
150	1800	460	TEFC-PECD	445T	4:1	10:1	PE, Corro-Duty	C150P2C	\$17,411	1800	5	172	95.8	45.9	07-2249	A49945	C150P2C
150	1800	460	TEFC-PECD	445TS	4:1	10:1	PE, Corro-Duty	C150P2CS	\$17,411	1800	5	172	95.8	42.1	07-2250	A49945	C150P2CS
150	1800 (3600)	460	TEFC-PEHD	445T	5:1	10:1	Inverter Hostile Duty	H150V2C	\$20,703	1780	5	171	95.8	45.38	07-1950	A49945	H150V2C
150	1800 (3600)	460	TEFC-PEHD	447T	10:1	20:1	Inverter Hostile Duty	H150T2C	\$25,055	2120	5	173	95.8		A49945	H150T2C	
150	1800	575	TEFC-PECD	445T	4:1	10:1	PE, Corro-Duty	C150P2G	\$17,411	1800	30	137	95.8	45.9	07-2249	A49945	C150P2G
150	1200	460	TEFC-PECD	447T	4:1	10:1	PE, Corro-Duty	C150P3C	\$22,194	2100	5	181	96.2	49.4	07-2249	A49945	C150P3C
150	1200	460	TEFC-PECD	447T	4:1	10:1	PE, Belted, Corro-Duty	C150P3CB	\$22,194	2100	5	176	96.2	49.4	07-2249	A49945	C150P3CB
150	1200 (2400)	460	TEFC-PEHD	447T	5:1	10:1	Inverter Hostile Duty	H150V3C	\$24,026	2100	30	181	95	48.88	07-1950	A49945	H150V3C
150	1200	575	TEFC-PECD	447T	4:1	10:1	PE, Corro-Duty	C150P3G	\$22,194	2100	30	145	96.2	49.4	07-2249	A49945	C150P3G
200	3600	460	TEFC-PECD	447TS	4:1	10:1	PE, Corro-Duty	C200P1CS	\$22,029	2185	5	220	95.4	45.6		A49945	C200P1CS
200	3600 (4500)	460	TEFC-PEHD	447TS	5:1	10:1	Inverter Hostile Duty	H200V1CS	\$29,028	2040	30	219	95.4	45.13	07-1950	A49945	H200V1CS
200	1800	460	TEFC-PECD	447T	4:1	10:1	PE, Corro-Duty	C200P2C	\$20,946	2200	5	225	96.2	49.4		A49945	C200P2C
200	1800	460	TEFC-PECD	447T	4:1	10:1	PE, Belted, Corro-Duty	C200P2CB	\$20,946	2200	5	225	96.2	49.4	07-2249	A49945	C200P2CB
200	1800	460	TEFC-PECD	447TS	4:1	10:1	PE, Corro-Duty	C200P2CS	\$20,946	2200	5	225	96.2	45.6	07-2250	A49945	C200P2CS
200	1800 (3600)	460	TEFC-PEHD	447T	5:1	10:1	Inverter Hostile Duty	H200V2C	\$24,883	2120	30	226	95.8	48.88	07-1950	A49945	H200V2C
200	1800	575	TEFC-PECD	447TS	4:1	10:1	PE, Corro-Duty	C200P2G	\$20,946	2200	30	180	96.2	45.6	07-2250	A49945	C200P2G
250	3600	460	TEFC-EEHD	449TS	2:1	6:1	EE	H250S1SS	\$30,934	2300	5	284	93.6	51.4	7-2044	A49945	H250S1SS
250	3600	460	TEFC-PE841	449TS	5:1	10:1	PE, 841	8									